



	J-400™ Collection	J-495™	J-485™	J-475™
Seating Capacity	8-9 seats		6-7 seats	6-7 seats
Dimensions	91 in x 110 in x 37.5 in - 43.5 in back 231 cm x 279 cm x 95 cm - 110.5 cm back		91 in x 91 in x 37.5 in - 43.5 in back 231 cm x 231 cm x 95 cm - 110.5 cm back	91 in x 91 in x 37.5 in - 43.5 in back 231 cm x 231 cm x 95 cm - 110.5 cm back
Dry Weight	1,091 lbs. (495 kg)		916 lbs. (415 kg)	925 lbs. (419 kg)
Total Filled Weight	6,679 lbs. (3,030 kg)		5,336 lbs. (2,421 kg)	5,387 lbs. (2,444 kg)
Average Spa Volume	500 gallons (1,893 liters)		435 gallons (1,647 liters)	440 gallons (1,666 liters)
Pump 1 North America	1 speed, 2.5 cont hp (5.1 bhp*)		1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
Pump 1 International	1 speed, 2.0 cont hp (2.6 bhp*)		1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
Pump 2 North America	1 speed, 2.5 cont hp (5.1 bhp*)		1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
Pump 2 International	1 speed, 2.0 cont hp (2.6 bhp*)		1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
Pump 3 North America	1 speed, 2.5 cont hp (5.1 bhp*)		-	-
Pump 3 International	1 speed, 2.0 cont hp (2.6 bhp*)		-	-
Circulation Pump	Yes		Yes	Yes
Total PowerPro™ Jets	71		49	55
Jacuzzi® PowerPro™ MX	3		3	3
Jacuzzi® PowerPro™ FX Small	14		8	8
Jacuzzi® PowerPro™ RX	15		8	6
Jacuzzi® PowerPro™ FX Directional	4		-	-
Jacuzzi® PowerPro™ NX2	8		6	6
Jacuzzi® PowerPro™ FX Rotational	4		6	8
Jacuzzi® PowerPro™ FX	16		12	10
Jacuzzi® PowerPro™ FX Large Rotational	3		1	1
Jacuzzi® PowerPro™ PX	-		2	2
Jacuzzi® PowerPro™ FX Large	-		3	5
Massage Selectors	2		2	2
Lounge Seating	Pivot Lounge		-	Yes
Filters	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch™ bag with ProClear® 60 sq ft filter (hydro)		ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch™ bag with ProClear® 60 sq ft filter (hydro)	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch™ bag with ProClear® 60 sq ft filter (hydro)
Water Management System	CLEARARRAY Active Oxygen™ Clean Water System		CLEARARRAY Active Oxygen™ Clean Water System	CLEARARRAY Active Oxygen™ Clean Water System
Lighting	Indicator Light, Exterior Lights, Illuminated Waterfall, Premium LED lighting in Massage Selectors, Cupholders and Underwater Light		Indicator Light, Exterior Lights, Illuminated Waterfall, Premium LED lighting in Massage Selectors, Cupholders and Underwater Light	Indicator Light, Exterior Lights, Illuminated Waterfall, Premium LED lighting in Massage Selectors, Cupholders and Underwater Light
Pillows	4		4	4
Waterfalls	2		1	1
Electrical North America	240VAC 60Hz 50A/60A		240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A
Electrical International	230VAC 50Hz 1x32A or 1x40A		230 VAC 50Hz 1x20A or 1x32A	230 VAC 50Hz 1x20A or 1x32A
Profinish™ Cabinetry	Modern Hardwood, Brushed Gray, Smoked Ebony		Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
Acrylic Color Shells	Platinum, Silver Pearl, Monaco, Midnight, Porcelain		Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain
Optional Features	SmartTub® System ProLast™ Extreme Cover SmartSeal™ Insulation Integrated BLUEWAVE® Spa Stereo Premium Speakers Amplified Sub-woofer		SmartTub® System ProLast™ Extreme Cover SmartSeal™ Insulation Integrated BLUEWAVE® Spa Stereo Premium Speakers Amplified Sub-woofer	SmartTub® System ProLast™ Extreme Cover SmartSeal™ Insulation Integrated BLUEWAVE® Spa Stereo Premium Speakers Amplified Sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.

Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-400™ Collection		J-445™	J-435™
Seating Capacity	6 seats		5-6 seats
Dimensions	84 in x 84 in x 37.5 in - 43.5 in back 213.5 cm x 213.5 cm x 95 cm - 110.5 cm back		84 in x 84 in x 37.5 in - 43.5 in back 213.5 cm x 213.5 cm x 95 cm - 110.5 cm back
Dry Weight	855 lbs. (388 kg)		822 lbs. (373 kg)
Total Filled Weight	4,525 lbs. (2,052 kg)		4,492 lbs. (2,037 kg)
Average Spa Volume	440 gallons (1,666 liters)		360 gallons (1,363 liters)
Pump 1 North America	1 speed, 2.5 cont hp (5.1 bhp*)		1 speed, 2.5 cont hp (5.1 bhp*)
Pump 1 International	1 speed, 2.0 cont hp (2.6 bhp*)		1 speed, 2.0 cont hp (2.6 bhp*)
Pump 2 North America	1 speed, 2.5 cont hp (5.1 bhp*)		1 speed, 2.5 cont hp (5.1 bhp*)
Pump 2 International	1 speed, 2.0 cont hp (2.6 bhp*)		1 speed, 2.0 cont hp (2.6 bhp*)
Pump 3 North America	-		-
Pump 3 International	-		-
Circulation Pump	Yes		Yes
Total PowerPro™ Jets	45		47
Jacuzzi® PowerPro™ MX	3		3
Jacuzzi® PowerPro™ FX Small	8		10
Jacuzzi® PowerPro™ RX	8		8
Jacuzzi® PowerPro™ FX Directional	-		-
Jacuzzi® PowerPro™ NX2	4		6
Jacuzzi® PowerPro™ FX Rotational	8		6
Jacuzzi® PowerPro™ FX	12		9
Jacuzzi® PowerPro™ FX Large Rotational	2		3
Jacuzzi® PowerPro™ PX	-		2
Jacuzzi® PowerPro™ FX Large	-		-
Massage Selectors	2		2
Lounge Seating	-		Yes
Filters	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch™ bag with ProClear® 60 sq ft filter (hydro)		ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch™ bag with ProClear® 60 sq ft filter (hydro)
Water Management System	CLEARARRAY Active Oxygen™ Clean Water System		CLEARARRAY Active Oxygen™ Clean Water System
Lighting	Indicator Light, Exterior Lights, Illuminated Waterfall, Premium LED lighting in Massage Selectors, Cupholders and Underwater Light		Indicator Light, Exterior Lights, Illuminated Waterfall, Premium LED lighting in Massage Selectors, Cupholders and Underwater Light
Pillows	4		3
Waterfalls	1		1
Electrical North America	240VAC @ 40A/50A/60A		240VAC @ 40A/50A/60A
Electrical International	230-240VAC 50Hz 1x20A or 1x32A		230-240VAC 50Hz 1x20A or 1x32A
Profinish™ Cabinetry	Modern Hardwood, Brushed Gray, Smoked Ebony		Modern Hardwood, Brushed Gray, Smoked Ebony
Acrylic Color Shells	Platinum, Silver Pearl, Monaco, Midnight, Porcelain		Platinum, Silver Pearl, Monaco, Midnight, Porcelain
Optional Features	SmartTub® System ProLast™ Extreme Cover SmartSeal™ Insulation Integrated BLUEWAVE® Spa Stereo Premium Speakers Amplified Sub-woofer		SmartTub® System ProLast™ Extreme Cover SmartSeal™ Insulation Integrated BLUEWAVE® Spa Stereo Premium Speakers Amplified Sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.

Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



	J-300™ Collection	J-385™	J-375™	J-365™
Seating Capacity	6-7 seats		5-6 seats	6-7 seats
Dimensions	91 in x 91 in x 37.5 in 231 cm x 231 cm x 95 cm		91 in x 91 in x 37.5 in 231 cm x 231 cm x 95 cm	84 in x 91 in x 37.5 in 213.5 cm x 231 cm x 95 cm
Dry Weight	850 lbs. (386 kg)		830 lbs. (376 kg)	805 lbs. (365 kg)
Total Filled Weight	5,771 lbs. (2,618 kg)		5,667 lbs. (2,571 kg)	4,975 lbs. (2,257 kg)
Average Spa Volume	460 gallons (1,741 liters)		445 gallons (1,685 liters)	395 gallons (1,495 liters)
Pump 1 North America	1 speed, 2.5 cont hp (4.8 bhp*)		1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
Pump 1 International	1 speed, 2.0 cont hp (2.6 bhp*)		1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)
Pump 2 North America	1 speed, 2.5 cont hp (4.8 bhp*)		1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
Pump 2 International	1 speed, 2.0 cont hp (2.6 bhp*)		1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
Pump 3 North America	-		-	-
Pump 3 International	-		-	-
Circulation Pump	Yes		Yes	Yes
Total Jets	51		52	46
Jacuzzi® PowerPro™ MX	3		5	3
Jacuzzi® PowerPro™ FX Small	8		-	8
Jacuzzi® PowerPro™ NX2	4		4	4
Jacuzzi® PowerPro™ FX Rotational	4		6	4
Jacuzzi® PowerPro™ FX	20		18	19
Jacuzzi® PowerPro™ FX Large Rotational	4		3	3
Jacuzzi® PowerPro™ FX Large	4		2	3
Jacuzzi® PowerPro™ BX	2		12	-
Massage Selectors	2		2	2
Lounge Seating	-		Yes	-
Filters	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)		ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)
Water Management System	CLEARARRAY Active Oxygen™ Clean Water System		CLEARARRAY Active Oxygen™ Clean Water System	CLEARARRAY Active Oxygen™ Clean Water System
Lighting	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.		One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.
Pillows	4 including 1 Hydrosoothe® massage pillow		4 including 1 Hydrosoothe® massage pillow	4 including 1 Hydrosoothe® massage pillow
Waterfalls	1		1	1
Electrical North America	240VAC 60Hz 40A/50A/60A		240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A
Electrical International	230VAC 50Hz 1x20A or 1x32A		230VAC 50Hz 1x20A or 1x32A	230VAC 50Hz 1x20A or 1x32A
Profinish™ Cabinetry	Modern Hardwood, Brushed Gray, Smoked Ebony		Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
Acrylic Color Shells	Platinum, Silver Pearl, Monaco, Midnight, Porcelain		Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain
Optional Features	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights		SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.

Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



	J-300™ Collection	J-355™	J-345™	J-335™
Seating Capacity	5-6 seats		6-7 seats	5-6 seats
Dimensions	84 in x 91 in x 37.5 in 213.5 cm x 231 cm x 95 cm		84 in x 84 in x 36 in 213.5 cm x 213.5 cm x 92 cm	84 in x 84 in x 36 in 213.5 cm x 213.5 cm x 92 cm
Dry Weight	813 lbs. (369 kg)		777 lbs. (352 kg)	764 lbs. (347 kg)
Total Filled Weight	4,900 lbs. (1,855 kg)		4,488 lbs. (2,036 kg)	4,684 lbs. (2,125 kg)
Average Spa Volume	360 gallons (1,363 liters)		345 gallons (1,306 liters)	350 gallons (1,325 liters)
Pump 1 North America	1 speed, 2.5 cont hp (4.8 bhp*)		1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
Pump 1 International	1 speed, 2.0 cont hp (3.0 bhp*)		1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)
Pump 2 North America	1 speed, 2.5 cont hp (4.8 bhp*)		1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
Pump 2 International	1 speed, 2.0 cont hp (2.6 bhp*)		1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
Pump 3 North America	-		-	-
Pump 3 International	-		-	-
Circulation Pump	Yes		Yes	Yes
Total Jets	44		41	42
Jacuzzi® PowerPro™ MX	5		3	2
Jacuzzi® PowerPro™ FX Small	-		8	8
Jacuzzi® PowerPro™ NX2	2		-	-
Jacuzzi® PowerPro™ FX Rotational	4		4	4
Jacuzzi® PowerPro™ FX	14		19	16
Jacuzzi® PowerPro™ FX Large Rotational	3		3	4
Jacuzzi® PowerPro™ FX Large	2		2	2
Jacuzzi® PowerPro™ BX	12		-	12
Massage Selectors	2		2	2
Lounge Seating	Yes		-	Yes
Filters	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)		ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)
Water Management System	CLEARARRAY Active Oxygen™ Clean Water System		CLEARARRAY Active Oxygen™ Clean Water System	CLEARARRAY Active Oxygen™ Clean Water System
Lighting	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.		One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.
Pillows	3 including 1 Hydrosoothe® massage pillow		4 including 1 Hydrosoothe® massage pillow	4 including 1 Hydrosoothe® massage pillow
Waterfalls	1		1	1
Electrical North America	240VAC 60Hz 40A/50A/60A		240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A
Electrical International	230VAC 50Hz 1x20A or 1x32A		230VAC 50Hz 1x20A or 1x32A	230VAC 50Hz 1x20A or 1x32A
Profinish™ Cabinetry	Modern Hardwood, Brushed Gray, Smoked Ebony		Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
Acrylic Color Shells	Platinum, Silver Pearl, Monaco, Midnight, Porcelain		Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain
Optional Features	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights		SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.

Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



	J-300™ Collection	J-325™	J-315™
Seating Capacity	4-5 seats		2-3 seats
Dimensions	84 in x 76 in x 33.5 in 213.5 cm x 193 cm x 85 cm		66 in x 76 in x 31.75 in 168 cm x 193 cm x 80.65 cm
Dry Weight	619 lbs. (281 kg)		531 lbs. (241 kg)
Total Filled Weight	4,372 lbs. (1,983 kg)		2,866 lbs. (1,300 kg)
Average Spa Volume	335 gallons (1,268 liters)		210 gallons (795 liters)
Pump 1 North America	1 speed, 1.5 cont hp (2.5 bhp*)		1 speed, 1.5 cont hp (2.5 bhp*)
Pump 1 International	1 speed, 2.0 cont hp (2.6 bhp*)		1 speed, 2.0 cont hp (2.6 bhp*)
Pump 2 North America	-		-
Pump 2 International	-		-
Pump 3 North America	-		-
Pump 3 International	-		-
Circulation Pump	Yes		Yes
Total Jets	23		23
Jacuzzi® PowerPro™ MX	-		-
Jacuzzi® PowerPro™ FX Small	4		-
Jacuzzi® PowerPro™ NX2	-		-
Jacuzzi® PowerPro™ FX Rotational	2		2
Jacuzzi® PowerPro™ FX	6		8
Jacuzzi® PowerPro™ FX Large Rotational	5		3
Jacuzzi® PowerPro™ FX Large	4		2
Jacuzzi® PowerPro™ BX	-		6
Massage Selectors	1		1
Lounge Seating	No		Yes
Filters	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)		ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)
Water Management System	CLEARARRAY Active Oxygen™ Clean Water System		CLEARARRAY Active Oxygen™ Clean Water System
Lighting	One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.		One underwater ProLite™ with 4 color modes, colored waterfall light, cup holders, and 2 lights on the HydroSoothe® pillow.
Pillows	4 including 1 Hydrosoothe® massage pillow		3 including 1 Hydrosoothe® massage pillow
Waterfalls	1		1
Electrical North America	120V/15A or 240V 30A/40A 240V 30A/40A		120V/15A or 240V 30A/40A 240V 30A/40A
Electrical International	230V 1x20A or 2x16A		230V 1x20A or 2x16A
Profinish™ Cabinetry	Modern Hardwood, Brushed Gray, Smoked Ebony		Modern Hardwood, Brushed Gray, Smoked Ebony
Acrylic Color Shells	Platinum, Silver Pearl, Monaco, Midnight, Porcelain		Platinum, Silver Pearl, Monaco, Midnight, Porcelain
Optional Features	SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights		SmartTub® System compatible ProLast™ Extreme cover ProClarity® circulation pump filter SmartSeal™ insulation BLUEWAVE® spa stereo Standard speakers Sub-woofer Exterior Lights

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.

Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-200™ Collection

J-285™

J-275™

J-245™

Seating Capacity	6-7 seats	6 seats	6-7 seats
Dimensions	89 in x 89 in x 36 in 226 cm x 226 cm x 91 cm	89 in x 89 in x 36 in 226 cm x 226 cm x 91 cm	84 in x 84 in x 36 in 213 cm x 213 cm x 91 cm
Dry Weight	778 lbs. (357 kg)	791 lbs. (359 kg)	737 lbs. (334 kg)
Total Filled Weight	5,166 lbs. (2,343 kg)	5,044 lbs. (2,228 kg)	4,490 lbs. (2,037 kg)
Average Spa Volume	400 gallons (1,514 liters)	380 gallons (1,438 liters)	345 gallons (1,306 liters)
Pump 1 North America	2 speed, 2.5 cont hp (4.5 bhp*)	2 speed, 2.5 cont hp (4.5 bhp*)	2 speed, 2.5 cont hp (4.5 bhp*)
Pump 1 International	2 speed, 2.0 cont hp	2 speed, 2.0 cont hp	2 speed, 2.0 cont hp
Pump 2 North America	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
Pump 2 International	1 speed, 2.0 cont hp	1 speed, 2.0 cont hp	1 speed, 2.0 cont hp
Pump 3 North America	-	-	-
Pump 3 International	-	-	-
Circulation Pump	No	No	No
Total Jets	42	38	36
SL Jets	14	14	8
SLR Jets	8	4	10
SL3 Jets	7	11	10
SL3R Jets	8	6	7
SL5 Jets	3	1	-
SL5R Jets	2	2	1
Massage Selectors	-	-	-
Air Controls	2	2	2
Lounge Seating	-	Yes	-
Filters	ProClassic™ filtration system with grill and ProCatch™ bag 1- ProClassic™ 50 sq ft filter 1- ProCatch™ filter bag	ProClassic™ filtration system with grill and ProCatch™ bag 1- ProClassic™ 50 sq ft filter 1- ProCatch™ filter bag	ProClassic™ filtration system with grill and ProCatch™ bag 1- ProClassic™ 50 sq ft filter 1- ProCatch™ filter bag
Water Management System	CLEARARRAY® UV-C System	CLEARARRAY® UV-C System	CLEARARRAY® UV-C System
Lighting	4 Backlit Pillows, 8 Underwater Lights and 3 Exterior Lights	3 Backlit Pillows, 8 Underwater Lights and 3 Exterior Lights	4 Backlit Pillows, 8 Underwater Lights and 3 Exterior Lights
Pillows	4	3	4
Waterfalls	-	-	-
Electrical North America	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A
Electrical International	230-240VAC 50Hz 1x16A or 1x32A	230-240VAC 50Hz 1x16A or 1x32A	230-240VAC 50Hz 1x16A or 1x32A
Cabinetry	Charcoal, Smoke	Charcoal, Smoke	Charcoal, Smoke
Acrylic Color Shells	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain
Optional Features	SmartTub® System Compatible Prolast™ Extreme Cover	SmartTub® System Compatible Prolast™ Extreme Cover	SmartTub® System Compatible Prolast™ Extreme Cover

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.

Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-200™ Collection

J-235™

J-225™

J-215™

Seating Capacity	6 seats	4-5 seats	2-3 seats
Dimensions	84 in x 84 in x 36 in 213 cm x 213 cm x 91 cm	80 in x 80 in x 33 in 203 cm x 203 cm x 84 cm	69 in x 80 in x 32 in 175 cm x 193 cm x 84 cm
Dry Weight	736 lbs. (334 kg)	562 lbs. (255 kg)	492 lbs. (223 kg)
Total Filled Weight	4,364 lbs. (1,979 kg)	4,219 lbs. (1,340 kg)	2,780 lbs. (1,261 kg)
Average Spa Volume	325 gallons (1,230 liters)	354 gallons (1,340 liters)	220 gallons (883 liters)
Pump 1 North America	2 speed, 2.5 cont hp (4.5 bhp*)	2 speed, 2.5 cont hp (4.5 bhp*)	2 speed, 2.5 cont hp (4.5 bhp*)
Pump 1 International	2 speed, 2.0 cont hp	2 speed, 2.0 cont hp	2 speed, 2.0 cont hp
Pump 2 North America	1 speed, 2.5 cont hp (4.8 bhp*)	-	-
Pump 2 International	1 speed, 2.0 cont hp	-	-
Pump 3 North America	-	-	-
Pump 3 International	-	-	-
Circulation Pump	No	No	No
Total Jets	34	26	21
SL Jets	6	8	8
SLR Jets	8	2	9
SL3 Jets	11	10	-
SL3R Jets	7	5	4
SL5 Jets	-	-	-
SL5R Jets	2	1	-
Massage Selectors	-	-	-
Air Controls	2	1	1
Lounge Seating	Yes	-	Yes
Filters	ProClassic™ filtration system with grill and ProCatch™ bag 1- ProClassic™ 50 sq ft filter 1- ProCatch™ filter bag	ProClassic™ filtration system with grill and ProCatch™ bag 1- ProClassic™ 50 sq ft filter 1- ProCatch™ filter bag	ProClassic™ filtration system with grill and ProCatch™ bag 1- ProClassic™ 50 sq ft filter 1- ProCatch™ filter bag
Water Management System	CLEARARRAY® UV-C System	CLEARARRAY® UV-C System	CLEARARRAY® UV-C System
Lighting	3 Backlit Pillows, 6 Underwater Lights and 3 Exterior Lights	4 Backlit Pillows, 8 Underwater Lights and 3 Exterior Lights	3 Backlit Pillows, 6 Underwater Lights and 3 Exterior Lights
Pillows	3	4	3
Waterfalls	-	-	-
Electrical North America	240VAC 60Hz 40A/50A/60A	120VAC 60Hz 15A 240VAC 30A or 40A	120VAC 60Hz 15A 240VAC 30A or 40A
Electrical International	230-240VAC 50Hz 1x16A or 1x32A	230-240VAC 50Hz 1x16A or 1x32A	230-240VAC 50Hz 1x16A or 1x32A
Cabinetry	Charcoal, Smoke	Charcoal, Smoke	Charcoal, Smoke
Acrylic Color Shells	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain	Platinum, Silver Pearl, Monaco, Midnight, Porcelain
Optional Features	SmartTub® System Compatible Prolast™ Extreme Cover	SmartTub® System Compatible Prolast™ Extreme Cover	SmartTub® System Compatible Prolast™ Extreme Cover

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft.

Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals

NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.